

MaterialDescription	MaterialCode	IsActive	MaterialRate	GSTRate	GSTValue	MaterialValue
PMT Structure 250/500 KVA 9' Complete.	10000333	1	68000	17	11560	79560
TAPE; RUBBER ETHYLENE PROPYLENE	10000304	1	1245	17	212	1457
BOX;JOINT, HT ST 300MM2	10000314	1	9212	17	1566	10778
TERMINATION O/DOOR FOR 300MM2	10000316	1	6686	17	1137	7823
TERMINATION INDOOR 300MM2	10000318	1	5700	17	969	6669
FERRULE; AL HT 300MM2	10000320	1	330	17	56	386
FERRULE; AL HT 185MM2	10000321	1	270	17	46	316
TERMINATION; HT I/DOOR 95MM2	10000325	1	5300	17	901	6201
BOX; JOINT LT ST 240MM2	10000326	1	5813	17	988	6801
BOX; JOINT LT ST 70MM2	10000327	1	4123	17	701	4824
TERMINATION; LT I/DOOR 240 MM2	10000330	1	5985	17	1017	7002
TERMINATION: LT INDOOR 120MM2	10000331	1	4765	17	810	5575
TERMINATION; LT I/DOOR 70MM2	10000332	1	3620	17	615	4235
TERMINATION; LT I/DOOR 35 MM2	10000333	1	3403	17	579	3982
TERMINATION; LT I/DOOR 16MM2	10000334	1	2445	17	416	2861
TERMINATION; LT O/DOOR 240 MM2	10000335	1	5985	17	1017	7002
TERMINATION; LT O/DOOR 120 MM2	10000336	1	4838	17	822	5660
TERMINATION; LT O/DOOR 70 MM2	10000337	1	3620	17	615	4235
TERMINATION; LT O/DOOR 35MM2	10000338	1	3460	17	588	4048
TERMINATION; LT O/DOOR 16MM2	10000339	1	2390	17	406	2796
FUSE; LINK HRC 630 AMPS.	10000346	1	1018	17	173	1190
INDICATOR/LOCATOR; EARTH FAULT 11KV	10000352	1	9956	17	1693	11649
FUSE BASE HRC LT 630 AMPS	10000355	1	1375	17	234	1609
POLE; LT ST 31'X4-1/2"	10000357	1	33700	17	5729	39429
POLE; HT ST, 36'X5-1/2"	10000360	1	58500	17	9945	68445
POLE; LATTICE STRUCTURE L TYPE	10000362	1	23000	17	3910	26910
POLE; LATTICE STRUCTURE H TYPE	10000363	1	38200	17	6494	44694

FEEDER; PILLAR BOX 300A 4 WAY	10000414	1	75000	17	12750	87750
PANEL; INDOOR LT 8 WAY	10000417	1	45000	17	7650	52650
LUG; BIMETALLIC 185MM2	10000591	1	620	17	105	725
LUG; BIMETALLIC 95MM2	10000592	1	272	17	46	318
LUGS BIMETALLIC 16 MM2	10000593	1	184	17	31	215
TRANSFORMER; DISTRIBUTION 3-PHASE 25KVA	10000681	1	130000	17	22100	152100
TRANSFORMER; DISTRIBUTION 3-PHASE 50KVA	10000685	1	175000	17	29750	204750
TRANSFORMER; DISTRIBUTION 3-PHASE 250KVA	10000698	1	437000	17	74290	511290
TRANSFORMER; DISTRIBUTION 3-PHASE 500KVA	10000710	1	925000	17	157250	1082250
TRANSFORMER; DISTRIBUTION 3-PHASE 100KVA	10000714	1	279000	17	47430	326430
TRANSFORMER; DISTRIBUTION 3-PHASE 750KVA	10000721	1	1185000	17	201450	1386450
TRANSFORMER; DISTRIBUTION 3-PHASE 1000KVA	10000722	1	1400000	17	238000	1638000
VCB; BUS COUPLER PANEL 15KV 2500A	10000924	1	2476000	17	420920	2896920
BOX; JOINT LT ST 120MM2	10000996	1	4230	17	719	4949
FERRULE; CU 240MM	10001056	1	380	17	65	445
MARKER FOR CABLE JOINT	10001057	1	1090	17	185	1275
WIRE; CU, PVC INSULATED, S/CORE, 10 MM2	10001059	1	101	17	17	118
WIRE; CU, PVC INSULATED, S/CORE, 35 MM2	10001060	1	347	17	59	406
WIRE; CU, PVC INSULATED, S/CORE, 50 MM2	10001061	1	426	17	72	499
WIRE; CU, PVC INSULATED, S/CORE, 120 MM2	10001062	1	1188	17	202	1390
WIRE; P V C S/CORE 300 MM2	10001063	1	2842	17	483	3325
LUG; CU 16MM2	10001077	1	37	17	6	43
LUG; CU 10MM2	10001078	1	21	17	4	24
LUG; CU 70MM2	10001081	1	125	17	21	146
LUG; CU 35MM2	10001082	1	105	17	18	123
LUGS COPPER 120 MM2	10001084	1	230	17	39	269
LUG; CU 300MM2	10001085	1	660	17	112	772
LUG; CU 240MM2	10001086	1	425	17	72	497

WIRE; BINDING, 14SWG	10001097	1	1480	17	252	1732
WIRE; BINDING, 16SWG	10001098	1	1470	17	250	1720
WIRE; STEEL STAY G.I 7/8SWG	10001099	1	210	17	36	246
CONDUCTOR; HDBC 4SWG	10001105	1	1034	17	176	1210
CONDUCTOR; HDBC 3SWG	10001106	1	943	17	160	1103
FUSE; HRC , LINK FOR D.O.UT OUT 40 AMPS	10001128	1	271	17	46	317
LINK; FUSE D.O CUTOUT 15A 11KV	10001129	1	250	17	43	293
BOX; FUSE ICTP 200/300A	10001132	1	8300	17	1411	9711
BOX; ANTI-THEFT A TYPE	10001133	1	15500	17	2635	18135
BOX; ANTI-THEFT B TYPE	10001134	1	7200	17	1224	8424
BOX; FUSE ICTP 100 A COMPLETE	10001147	1	5000	17	850	5850
PIPE ; G.I 3/4" DIA	10001183	1	343	17	58	401
PIPE; G I 4" DIA	10001184	1	1163	17	198	1361
PIPE; G.I 6" DIA	10001185	1	2644	17	449	3093
PIPE; G.I 5" DIA	10001187	1	2354	17	400	2754
PIPE; BEND PIPE G.I 40MM(1- 1/2" DIA.).	10001188	1	3132	17	532	3664
BRACKET; POLE CH.I 14" x 4-1/2"	10001205	1	1100	17	187	1287
BRACKET; POLE CH.I 14" x 5-1/2"	10001206	1	1147	17	195	1342
BRACKET; POLE CH.I 14" x 6-1/2"	10001207	1	1100	17	187	1287
BRACKET; POLE CH.I 22" x 4-1/2"	10001208	1	1300	17	221	1521
BRACKET; POLE CH.I 22" X5-1/2"	10001209	1	1400	17	238	1638
BRACKET; POLE CH.I 22" x 6-1/2"	10001210	1	1735	17	295	2030
BRACKET; POLE ANTI PURCHENT S/P 5-1/2"	10001211	1	5200	17	884	6084
BRACKET; POLE ANTI PURCHANT D/P 5-1/2"	10001212	1	7000	17	1190	8190
BRACKET; PHASE HT 5' X 5-1/2"	10001213	1	4475	17	761	5236
BRACKET; EARTH 8'X5-1/2 DIA.	10001214	1	7500	17	1275	8775
BRACKET; POLE G.I A TYPE 4-1/2"	10001218	1	305	17	52	357
BRACKET; POLE G.I A TYPE 5-1/2"	10001219	1	380	17	65	445
BRACKET; POLE G.I A TYPE 6-1/2"	10001220	1	410	17	70	480

BRACKET; POLE G.I C TYPE 4-1/2"	10001224	1	340	17	58	398
BRACKET; POLE G.I C TYPE 5-1/2"	10001225	1	372	17	63	435
BRACKET; POLE G.I C TYPE 6-1/2"	10001226	1	410	17	70	480
CLAMP; G. I D-TYPE 3-1/2"	10001231	1	149	17	25	174
CLAMP; POLE G.I B-TYPE 4-1/2"	10001235	1	400	17	68	468
CLAMP; POLE G.I B-TYPE 5-1/2"	10001237	1	450	17	77	527
CLAMP; POLE G.I B-TYPE 6-1/2"	10001238	1	400	17	68	468
CLAMP; STAY POLE G.I 4-1/2"	10001253	1	400	17	68	468
CLAMP; POLE STAY G.I 5-1/2"	10001254	1	425	17	72	497
CLAMP; POLE STAY G.I 6-1/2"	10001256	1	550	17	94	644
CLAMP; SNAIL DISCONNECTION FOR 11 KV	10001258	1	575	17	98	673
CLAMP; G. I D-TYPE 5-1/2"	10001260	1	264	17	45	309
BOARD; DANGER RED ENAMELLED 11000 VOLTS	10001261	1	1150	17	196	1346
LIGHTING ARRESTOR	10001272	1	4290	17	729	5019
CLAMP; PIPE G.I 1-1/2"	10001369	1	260	17	44	304
CLAMP; FULL G.I 1-1/2"	10001373	1	58	17	10	68
CLAMP; SHACKLE G.I 1-1/2"	10001378	1	950	17	162	1112
INSULATOR; SHACKLE LT 19/18	10001442	1	132	17	22	154
INSULATOR; SHACKLE 19/13	10001443	1	382	17	65	447
PIN; FOR PIN INSULATOR	10001448	1	840	17	143	983
INSULATORS PIN TYPE 11 KV	10001449	1	1937	17	329	2266
INSULATOR DISC POR	10001450	1	2083	17	354	2437
TAPE; P V C TAPE 3/4"	10001454	1	26	17	4	30
STRIP; G.I 28"	10001534	1	224	17	38	262
BOLT & NUT G.I. SIZE 2" X 1/2"	10001535	1	26	17	4	30
BOLT & NUT; M.S. 5X1/2"	10001596	1	39	17	7	45
BOLT & NUT; M.S EYE TYPE 6" x 1/2"	10001606	1	93	17	16	109
BOLT & NUT; G.I 4x1/2".	10001611	1	42	17	7	50
BOLT & NUT; G.I W/O WASHER 5" x 1/2"	10001612	1	39	17	7	45
BOLT & NUT; G.I SQ. 7" x 3/4"	10001615	1	182	17	31	213
BOLT & NUT; G.I SIZE 1-1/2"X1/2"	10001620	1	20	17	3	23
STRIP; SHACKLE G.I 19/18	10001668	1	55	17	9	64
STRIP; SHACKLE G.I 19/18	10001668	1	0	0	0	0
STRIP; SHACKLE G.I 19/13	10001669	1	160	17	27	187

BOLT & NUT; BRASS HEX 2X1/2"	10001705	1	155	17	26	181
SAW; HACKSAW BLADE 12"X1/2"	10001732	1	15	17	2	17
LINE TAP; 70MM2 3/OSWG	10001851	1	345	17	59	404
SHINGLE (BAJRI)	10001886	1	2290	17	389	2679
LINE TAP; 240MM2	10001891	1	1690	17	287	1977
TRANSFORMER; CURRENT 100/5A	10001906	1	860	17	146	1006
TRANSFORMER; CURRENT 300/5A	10001907	1	790	17	134	924
CURRENT TRANSFORMER 1000/5 AMPS	10001917	1	1604	17	273	1877
WIRE S/CORE 240MM	10001921	1	2363	17	402	2765
TRANSFORMER; CURRENT 400/5A	10001930	1	910	17	155	1065
TRANSFORMER; CURRENT 2500/5A	10001968	1	3500	17	595	4095
CONDUCTOR ACSR RABBIT 2 SWG	10002052	1	297	17	50	347
CONDUCTOR; ACSR GOPHER 6SWG	10002053	1	297	17	50	347
CONDUCTOR; ACSR DOG 3/OSWG	10002054	1	327	17	56	383
TRANSFORMER; CURRENT 500/5A	10002117	1	1286	17	219	1505
TRANSFORMER; CURRENT 600/5A	10002118	1	880	17	150	1030
TRANSFORMER; CURRENT 200/5A	10002119	1	890	17	151	1041
TRANSFORMER; CURRENT 800/5A	10002120	1	1175	17	200	1375
PIPE; PVC 1"	10002139	1	43	17	7	50
ARM; CROSS G.I.HOT DIP 6'X3"X1- 1/2	10002148	1	2600	17	442	3042
CLAMP; POLE G.I FOR CABLE 5- 1/2" X3"	10002160	1	1050	17	179	1229
CLAMP; POLE G.I FOR CABLE 5- 1/2"X4"	10002161	1	976	17	166	1142
PIPE; FLEXIBLE PVC 1"	10002166	1	150	17	26	176
PIPE; FLEXIBLE PVC 3/4"	10002167	1	16	17	3	19
STAY UNIT; COMPLETE FOR LT POLE	10002173	1	2400	17	408	2808
TAPE; MASKING 3/4"	10002202	1	33	17	6	38
TAPE; WARNING	10002203	1	3	17	1	4
TWIST TITE WIRER SEAL (PLASTIC)	10002341	1	50	17	9	59

LINE TAP; 120MM2	10002343	1	520	17	88	608
CABLE COPPER L.T. 4 CORE 16 MM2 (ARM)	10005057	1	845	17	144	989
CABLE COPPER L.T. 4 CORE 120 MM2	10005058	1	5132	17	872	6004
CABLE COPPER L.T. 4 CORE 35 MM2 (ARM)	10005059	1	1600	17	272	1872
CABLE; CU L.T 4-CORE (ARM) 70MM2	10005060	1	3025	17	514	3539
CABLE; CU L.T 4-CORE (ARM) 240MM2	10005061	1	10100	17	1717	11817
CABLE COPPER L.T. 4 CORE 16 MM2 (UN/ARM)	10005065	1	590	17	100	690
CABLE COPPER L.T. 4 CORE 35 MM2 (UN/ARM)	10005066	1	1400	17	238	1638
2.5 mm 4 core control cable	10005070	1	139	17	24	163
CABLE; AL H.T XLPE 3-CORE 95MM2	10005074	1	2696	17	458	3154
CABLE ALUMINUM H.T. 300 MM2	10005075	1	4220	17	717	4937
CABLE; AL H.T XLPE 3-CORE 185MM2	10005076	1	2700	17	459	3159
CABLE COPPER TWIN CORE PVC 10 MM2 U/A	10005078	1	216	17	37	253
PAINT; SYNTHETIC ENAMEL ORANGE	10008749	1	345	17	59	404
PAINT; ENAMEL SPL GREY	10013019	1	278	17	47	325
TAPE; EMPIRE TAPE 3/4"	10013173	1	410	17	70	480
CEMENT; BAG 50 KG	10013181	1	8	17	1	10
CLEAT; WOODEN	10021072	1	1925	17	327	2252
STRUT UNIT; COMPLETE FOR LT POLE	10021076	1	23000	17	3910	26910
BOX; CHAMBER FOR BUS BAR SMALL	10021079	1	6900	17	1173	8073
CLAMP; POLE FOR L.T CABLE 6-1/2"x4"	10021107	1	1050	17	179	1229
CLAMP; POLE FOR L.T CABLE 6-1/2"x3"	10021108	1	1080	17	184	1264
BOX; PMT CHAMBER BOX (ATB Pole Mounted)	10021121	1	7650	17	1301	8951
TIE; CABLE 10" (5 Nos. Ties of EA)	10021177	1	1	17	0	2
PIPE ; G.I 1-1/2" DIA	10021197	1	506	17	86	592
LINK; FUSE HRC 500A	10021210	1	1018	17	173	1190
FUSE LINK, HRC, 315AMP	10021211	1	566	17	96	662
11KV Knife Switch	10021229	1	75275	17	12797	88072
METAL ENCLUSURE FOR EFI	10021230	1	2250	17	383	2633

BOLT & NUT; G.I RAG 6"X1/2"	10021251	1	52	17	9	60
CLEAT; WOODEN FOR H.T POWER CABLE	10021293	1	7500	17	1275	8775
LUG; CU 50MM2	10022426	1	110	17	19	129
STRUT UNIT; COMPLETE FOR HT POLE	10022542	1	26000	17	4420	30420
FUSE LINK HRC L.T. 200 A	10022547	1	509	17	87	596
Chamber Box ; For Bus Bar Large 5' x 6"	10022559	1	30000	17	5100	35100
CLIP; 18MM	10022563	1	5	17	1	6
TIE; CABLE 6" (5 Nos. Ties of EA)	10022565	1	1	17	0	1
TIE; CABLE 8" (5 Nos. Ties of EA)	10022566	1	1	17	0	1
EYE; STAY LARGE G.I	10022569	1	210	17	36	246
PIPE; G.I 3" DIA	10022570	1	1679	17	285	1964
BUSBAR; CU 3"x1/4"	10022571	1	1300	17	221	1521
Barbed Wire GI 2 ply 4 point	10022590	1	290	17	49	339
WIRE; CU, PVC INSULATED, S/CORE, 4MM SQ	10022693	1	52	17	9	61
BOLT & NUT; G.I 2-1/2" X 1/2"	10022766	1	28	17	5	33
11 kV VCB CT Ratio 400/5	10022798	1	978750	17	166388	1145138
TIE; CABLE 4" (10 Nos. Ties of EA)	10022859	1	1	17	0	1
TIE BLOCK	10022863	1	10	17	2	12
BUSBAR; CU 2.5"x1/2"	10022942	1	22000	17	3740	25740
LINK; FUSE HRC 400A	10022960	1	566	17	96	662
BOLT & NUT; WITH WASHER G.I. 5"x1/2"	10023589	1	39	17	7	45
FUSE; LINK DO CUTOFF HT 30A	10023630	1	260	17	44	304
CHANNEL IRON BUS BAR BRACKETS 48"X5-1/2"	10023670	1	2580	17	439	3019
Cable3Core Al.185mm(KESC/Lah-ABC(HT)/01	10023688	1	1700	17	289	1989
BREAKER; CIRCUIT LT ADJUSTABLE 1600A	10023727	1	141471	17	24050	165521
WIRE; CU, PVC INSULATED, S/CORE 70 MMSQ	10023729	1	680	17	116	796
STAY UNIT; HT COMPLETE	10023757	1	2500	17	425	2925
FUSE LINK; LT HRC 100A	10023761	1	407	17	69	476
BRACKET; PHASE H.T FOR LATTICE POLE	10023762	1	4500	17	765	5265
STRUCTURE; PMT S/POLE LATTICE 25/50KVA	10023763	1	17000	17	2890	19890

BOX; LT DB (ICTP FUSE BOX) 400 A	10023855	1	8400	17	1428	9828
BUSBAR; CU L.T 2"-1/2"x1/4" (4 Meter Bar)	10023859	1	12313	17	2093	14406
FUSE LINK FOR 11 KV D.O. CUTOUT 10 AMPS	10023862	1	230	17	39	269
BOLT & NUT; G.I FULL THREADED 12"X3/4"	10023864	1	250	17	43	293
HACKSAW BLADE (DOUBLE TEETH)	10023865	1	22	17	4	26
VCB; PANEL, OUTGOING 15KV 1250A	10023875	1	1950750	17	331628	2282378
PMT NAME PLATE SIZE 762 X 457 MM	10023960	1	900	17	153	1053
TILE; CABLE WARNING 12"X6"X1.5"	10025031	1	16	17	3	19
BAR; COPPER EARTHING DISTRIBUTION	10025126	1	3136	17	533	3669
BOLT; G.I ROWAL 10MM DIA	10025127	1	16	17	3	18
CABLE; AL XLPE ABC 3x95+70+1x25MM2	10025567	1	617	17	105	722
BOLT & NUT;WITH WASHER G.I 1-1/2" X1/2"	10025973	1	23	17	4	26
L.T.AERIAL BUNDLE CABLE 16MM2, 4 CORE	10025990	1	124	17	21	144
ANCHOR CLAMP ASSEMBLY(BRACKET & CLAMP)	10025993	1	500	17	85	585
CAP; END FOR 70MM2 CABLE	10025995	1	22	17	4	25
STRAP;PLASTIC BINDING (INSULATED) 350MM2	10025998	1	8	17	1	9
CAP; END FOR 25MM2 CABLE	10025999	1	19	17	3	22
CLAMP; ASSEMBLY , D/END (BRACKET&CLAMP)	10026002	1	700	17	119	819
CAP; END FOR 95MM2 CABLE	10026003	1	24	17	4	28
CLAMP ASSEMBLY;SUSPENSION(BRACKET &CLAMP)	10026008	1	662	17	113	775
PANEL ADAPTOR, FOR ALIGNMENT/COUPLING	10027115	1	550000	17	93500	643500
POLE;PreStressed Cement Concrete HT Spun	10028953	1	19875	17	3379	23254
L.T. PCC SPUN POLE	10029531	1	16475	17	2801	19276
PLATE; COPPER 4"X4"X3/8"	10031673	1	910	17	155	1065
BRACKET;ANTIPERCHENT D/P 9.8' X 9.16"DIA	10032110	1	8500	17	1445	9945

BRACKET; ANTIPERCHENT S/P 2337x220MM DIA	10032117	1	5500	17	935	6435
BRACKET; PHASE.HT CH.I 1610X210MM	10032118	1	6500	17	1105	7605
BRACKET;EARTH HT D/CHNL IRON 2516X220MM	10032119	1	10500	17	1785	12285
BRACKET; POLE STRAIGHT CH.I 440X204MM	10032120	1	2000	17	340	2340
STRUCTURE; PMT COMPLETE FOR SPUN POLE	10032121	1	70000	17	11900	81900
DEAD END CLAMPS(ANCHORING CLAMPS)ABC HT	10033552	1	34000	17	5780	39780
BRACKET FOR DED END CLAMPS (ABC HT)	10033553	1	7000	17	1190	8190
SUSPENSION CLAMP FOR MV (ABC HT)	10033554	1	2000	17	340	2340
BRACKET FOR SUSPENSION CLAMP (ABC HT)	10033555	1	5500	17	935	6435
END TERMINATION OUT DOOR S/CORE (ABC HT)	10033562	1	3724	17	633	4357
LUG; AL LT 120MM2	10033709	1	372	17	63	436
LUG; AL LT 185 MM2	10033710	1	425	17	72	497
Nylon cable ties size 10 inch (5 Nos. Ties of EA)	10034093	1	164	17	28	192
SLEEVE; BUSBAR HEAT SHRINK 11KV	10034504	1	1200	17	204	1404
JOINT; (PRE-MOULDED)H.T 300MM2	10035313	1	15855	17	2695	18550
METER; STATIC SINGLE PHASE	10036233	1	1343	17	228	1571
METER; STATIC THREE PHASE	10036234	1	3980	17	677	4657
CABLE;COPPER PVC S/C XLPE 630 MM2 15 KV	10036257	1	7000	17	1190	8190
CLAMP;POLE GI CABLE (SPUN POLE) 8.59"X4	10036331	1	2000	17	340	2340
BRACKET;POLE"C"TYPE SPUN POLE 195MM DIA	10036332	1	650	17	111	761
BRACKET;POLE"C"TYPE SPUN POLE 200MM DIA	10036333	1	700	17	119	819
BRACKET;POLE"C"TYPE 175MM SPUN POLE DIA	10036334	1	600	17	102	702
BRACKET;POLE G.I"A"TYPE SPUN POLE 9 1/2"	10036335	1	900	17	153	1053
BRACKET;POLE G.I"C"TYPE SPUN POLE 9 1/2"	10036336	1	900	17	153	1053
CABLE; L.T. U/A COPPER PVC 4 CORE 10MM2	10036351	1	424	17	72	496

ABC COND.AL XLPE Insul:3X50+1X35+1X25mm	10036540	1	337	17	57	394
LUGS; BIMETALLIC (AL-CU) 70MM2	10036541	1	245	17	42	287
LUGS; BIMETALLIC (AL-CU) 50 MM2	10036542	1	240	17	41	281
CAP; END FOR CABLE 50 MM2	10036543	1	22	17	4	26
CAP; END FOR CABLE 35 MM2	10036544	1	19	17	3	22
CABLE; ABC SERVICE XLPE 2x10 mm	10036545	1	43	17	7	50
METER HT CT/PT & LT OPERATED W/GPRS MODEM	10036931	1	53770	17	9141	62911
Control Cable 4 Core 2.5 mm	10038327	1	174	17	30	204
LUGS; BI-METALLIC (AL-CU) 35 MM2	10044468	1	180	17	31	211
LUGS; BI-METALLIC (AL-CU) 25 MM2	10044469	1	165	17	28	193
WIRE; PVC S/C ALUMINIUM LT LEAD 300 MM2	10044504	1	398	17	68	466
Control Cable 4 Core 4 mm	10045865	1	263	17	45	308
CABLE CONTROL PVC 7 CORE 2.5 MM2	10046948	1	247	17	42	289
METER; 3PH DOL AMR GPRS/3G W/DC SW	10085571	1	39440	17	6705	46145
FIBER OPTIC;50M CABL PIECE STST6DOR19LSZ	10085812	1	8500	17	1445	9945
CABLE; COPPER L.T. 4 CORE 25 MM (ARM)	10089816	1	1250	17	213	1463
CABLE; COPPER L.T. 4 CORE 50 MM (ARM)	10089817	1	2295	17	390	2685
CABLE; COPPER L.T. 4 CORE 95 MM (ARM)	10089818	1	4602	17	782	5384
CABLE; COPPER L.T. 4 CORE 150 MM (ARM)	10089819	1	7120	17	1210	8330
CABLE; COPPER L.T. 4 CORE 185 MM (ARM)	10089820	1	8919	17	1516	10435
CABLE; COPPER L.T. 4 CORE 25 MM (UN/ARM)	10089821	1	953	17	162	1115
METER; 1PH DOL AMR GPRS/3G W/DC SW	10091269	1	42000	17	7140	49140
CLAMP; DEAD END ASSEMBLY (LT ABC)	10091532	1	499	17	85	584
CONNECTOR; PIERCING INSU 16- 95/04-35 MM2	10091747	1	157	17	27	183
CONNECTOR; PIERCING INSU 25- 95/25-95 MM2	10091748	1	262	17	45	307

Meter LT AMR CTO with GPRS modem	10094526	1	61196	17	10403	71599
CARTRIDGE; FUSE 100A PORCELAIN DO CUTOUT	10094977	1	3500	17	595	4095
INSULATED PIERCING CONNECTOR (FOR HT MAINS) (185 MM ² TO 95 MM ²)	10097132	1	1450	17	247	1697
BOX; BREAKER LT TYPE-1 FOR 40A TO 250A	10097265	1	4650	17	791	5441
BOX; BREAKER LT TYPE-2 FOR 300A TO 400A	10097266	1	5650	17	961	6611
BOX; BREAKER LT TYPE-3 FOR 630A TO 800A	10097267	1	6650	17	1131	7781
BREAKER; LT 40A WITH METAL PLATE	10097270	1	6800	17	1156	7956
BREAKER; LT 80A WITH METAL PLATE	10097271	1	6800	17	1156	7956
BREAKER; LT 160A WITH METAL PLATE	10097272	1	8835	17	1502	10337
BREAKER; LT 200A WITH METAL PLATE	10097273	1	11562	17	1966	13528
BREAKER; LT 250A WITH METAL PLATE	10097274	1	13869	17	2358	16227
BREAKER; LT 300/315A WITH METAL PLATE	10097275	1	23500	17	3995	27495
BREAKER; LT 400A WITH METAL PLATE	10097276	1	21150	17	3596	24746
BREAKER; LT 630A WITH METAL PLATE	10097277	1	36554	17	6214	42768
BREAKER; LT 800A WITH METAL PLATE	10097278	1	42336	17	7197	49533
D. O. CUTOUT 100AMP TYPE: D (NEW)	10097991	1	8575	17	1458	10033
CABLE; AL HT XLPE 3 CORE 400MM2	10098377	1	4551	17	774	5325
VCB; 11KV 630A CT400/5/5 CASSETTE TYPE	10098664	1	1229900	17	209083	1438983
VCB 11KV 630A CT300/5/5 CASSETTE TYPE	10098665	1	1250000	17	212500	1462500
VCB 11KV 630A CT100/5 CASSETTE TYPE	10098667	1	1039950	17	176792	1216742
VCB 11KV 630A CT100/5/5 CASSETTE TYPE	10098668	1	1250000	17	212500	1462500
VCB 11KV 630A CT50/5 CASSETTE TYPE	10098670	1	1039450	17	176707	1216157
VCB; 11KV 630A CT200/5/5 CASSETTE TYPE	10098671	1	1229900	17	209083	1438983

VCB 11KV 630A CT400/5 CASSETTE TYPE	10098672	1	1060000	17	180200	1240200
VCB; 11KV 630A CT50/5/5 CASSETTE TYPE	10098677	1	1200000	17	204000	1404000
TRANSFORMR;CURENT 11KV 100/5A VCB W/PALM	10098754	1	20000	17	3400	23400
TRANSFORMR;CURENT 11KV 400/5A VCB W/PALM	10098757	1	19980	17	3397	23377
TRANSFORMER;CURRENT 11KV 50/5/5 VCB PALM	10098850	1	30000	17	5100	35100
TRANSFORMER;CURRENT 11KV100/5/5 VCB PALM	10098851	1	28500	17	4845	33345
TRANSFORMER;CURRENT 11KV200/5/5 VCB PALM	10098852	1	32802	17	5576	38378
TRANSFORMER;CURRENT 11KV300/5/5 VCB PALM	10098853	1	20000	17	3400	23400
TRANSFORMER;CURRENT 11KV400/5/5 VCB PALM	10098854	1	27500	17	4675	32175
PMU; 500KVA WITH RMU (1x630 & 3x250A CB)	10098865	1	3589076	17	610143	4199219
BUSBAR ARRANGEMENT; PMT WITH PG CLAMP	10099379	1	25200	17	4284	29484
VCB; 11KV, 630A CT 50/5,W/PROT	10099410	1	925000	17	157250	1082250
VCB; 11KV, 630A CT 100/5,W/PROT	10099411	1	810000	17	137700	947700
VCB; 11KV, 630A CT 300/5,W/PROT	10099412	1	945000	17	160650	1105650
VCB; 11KV, 630A CT 400/5,W/PROT	10099413	1	1035000	17	175950	1210950
VCB; 11KV, 630A CT 50/5/5,W/PROT,W/MET	10099414	1	990000	17	168300	1158300
VCB; 11KV, 630A CT 100/5/5,W/PROT,W/MET	10099415	1	1210000	17	205700	1415700
VCB; 11KV, 630A CT 200/5/5,W/PROT,W/MET	10099417	1	979500	17	166515	1146015
VCB; 11KV, 630A CT 300/5/5,W/PROT,W/MET	10099418	1	979500	17	166515	1146015
VCB; 11KV, 630A CT 400/5/5,W/PROT,W/MET	10099419	1	1083744	17	184236	1267980
CABLE; AL LT XLPE 2 CORE 10MM2 (ARM)	10099471	1	234	17	40	274
CABLE; AL LT XLPE 2 CORE 16MM2 (ARM)	10099472	1	270	17	46	315
CABLE; AL LT XLPE 2 CORE 25MM2 (ARM)	10099473	1	384	17	65	449

CABLE; AL LT XLPE 4 CORE 10MM2 (ARM)	10099474	1	308	17	52	360
CABLE; AL LT XLPE 4 CORE 16MM2 (ARM)	10099475	1	388	17	66	454
CABLE; AL LT XLPE 4 CORE 25MM2 (ARM)	10099476	1	454	17	77	531
CABLE; AL LT XLPE 4 CORE 35MM2 (ARM)	10099477	1	528	17	90	618
CABLE; AL LT XLPE 4 CORE 50MM2 (ARM)	10099478	1	674	17	115	789
CABLE; AL LT XLPE 4 CORE 70MM2 (ARM)	10099479	1	859	17	146	1005
CABLE; AL LT XLPE 4 CORE 95MM2 (ARM)	10099480	1	1018	17	173	1191
CABLE; AL LT XLPE 4 CORE 120MM2 (ARM)	10099481	1	1356	17	231	1587
CABLE; AL LT XLPE 4 CORE 150MM2 (ARM)	10099482	1	1523	17	259	1782
CABLE; AL LT XLPE 4 CORE 185MM2 (ARM)	10099483	1	1780	17	303	2083
CABLE; AL LT XLPE 4 CORE 240MM2 (ARM)	10099484	1	2149	17	365	2514
CABLE; AL LT XLPE 4 CORE 300MM2 (ARM)	10099485	1	2535	17	431	2966
CABLE; AL LT XLPE 4 CORE 400MM2 (ARM)	10099486	1	3432	17	584	4016
SWITCH; LBS 11KV SF6 INSULATED POLEMOUNT	10099946	1	272513	17	46327	318840
TESTER; LIVE LINE LT	10099952	1	12000	17	2040	14040
TUBE;HS 11KV FOR 4SWG HDBC(CAMBRIC LEAD)	10099953	1	498	17	85	583
RMU; TWO SIDE PROTECTION TYPE B W/BOOTS	10100065	1	3054865	17	519327	3574192
RMU; O/D 11KV W/BOOTS 1 SIDE PROTECTION	10100191	1	1650000	17	280500	1930500
JOINT; HT 400 MM2 PRE- MOULDED	10100571	1	12500	17	2125	14625
TERMINATION; OUTDOOR FOR 400 MM2	10100572	1	8150	17	1386	9536
TERMINATION; INDOOR FOR 400MM2 CABLE	10100573	1	7889	17	1341	9230
LOCK; MASTER WITH KEY, BLUE	10100643	1	593	17	101	694
LOCK; MASTER WITH KEY, YELLOW	10100644	1	570	17	97	667
LOCK; MASTER WITH KEY, SILVER	10100645	1	593	17	101	694

LOCK; MASTER WITH KEY, GREEN	10100646	1	593	17	101	694
U BOLT; CLAMP, 265 MM	10101255	1	500	17	85	585
CLAMP; GI, 85MM, FOR CROSSING LEAD	10101872	1	1800	17	306	2106
PIPE PVC 6 Ø, FOR CROSSING LEAD	10101873	1	1453	17	247	1700
BOX; JUNCTION, LARGE, BUSBAR, MULTISTORY	10101991	1	16875	17	2869	19744
BOX; JUNCTION, SMALL, BUSBAR, MULTISTORY	10101992	1	15525	17	2639	18164
COVER; PROTECTION FOR HT BUSHING, PMT	10102022	1	1300	17	221	1521
COVER; PROTECTION FOR LT BUSHING, 200KVA	10102023	1	1470	17	250	1720
BOX;FEEDER PILLAR POLYMER W/LT BREAKER	10102024	1	350000	17	59500	409500
BOX;FEEDER PILLAR POLYMER W/HRC FUSE PRO	10102026	1	243040	17	41317	284357
BOX;FEEDER PILLAR POLYMER W/HRC FUSEPULL	10102027	1	260000	17	44200	304200
CONDUCTOR; XLPE INSULATED ACSR DOG	10102093	1	203	17	35	238
CONDUCTOR; XLPE INSULATED ACSR TIGER	10102094	1	241	17	41	281
CONDUCTOR; XLPE INSULATED ACSR LYNX	10102095	1	439	17	75	513
VCB OUTGOING 15 KV CASSETTE TYPE 1250A	10103243	1	3190000	17	542300	3732300
PLANT; LV PFI 300KVAR FOR 500KVA DT	10103269	1	931343	17	158328	1089671
PLANT; LV PFI 400KVAR FOR 750KVA DT	10103270	1	1134545	17	192873	1327417
PLANT; LV PFI 500KVAR FOR 1000KVA DT	10103271	1	1552238	17	263880	1816118
CONNECTOR; IPC HT 150-240/150-240 MM2	10103581	1	2375	17	404	2779
CONNECTOR; IPC HT 95-240/50-185 MM2	10103582	1	2100	17	357	2457
CLAMP; DEADEND HT FOR XLPE INS CONDUCTOR	10103583	1	1475	17	251	1726
BOX; POLYMER REINFO 4WAY LT PANEL 500KVA	10105975	1	297464	17	50569	348033
BOX; POLYMER REINFO 8WAY LT PANEL 750KVA	10105976	1	580000	17	98600	678600
BOX;POLYMER REINFO 8WAY LT PANEL 1000KVA	10105977	1	615000	17	104550	719550

TAPE; ANTI CORROSIVE, INNER, ST POLE	10107124	1	48	17	8	56
TAPE; MECHNICAL PROTECTION, OUTER, ST POLE	10107125	1	36	17	6	42
CLEAT; WOODEN, SUBSTATION 500MMX950MM	10107500	1	4500	17	765	5265
STRUT UNIT FOR LT ST POLE 31 x5-1/2	10107721	1	23000	17	3910	26910
BRACKET; A-TYPE 7", GI, SPUN POLE	10107950	1	650	17	111	761
BRACKET; C-TYPE 7", GI, SPUN POLE	10107951	1	650	17	111	761
U-CLAMP; 180x140MM, GI, SPUN POLE	10107952	1	450	17	77	527
STRUT; UNIT, SPUN POLE LT SIZE 31'	10108130	1	28000	17	4760	32760
CLAMP; SPUN POLE LT SIZE 7"	10108131	1	700	17	119	819
BOX; PT CHAMBER, OCBS, WITH 3# PTS	10108256	1	130000	17	22100	152100
250kVA Dry Type Distribution Transformer	10108300	1	1599994	17	271999	1871993
500kVA Dry Type Distribution Transformer	10108301	1	3199987	17	543998	3743985
750kVA Dry Type Distribution Transformer	10108302	1	4374575	17	743678	5118253
1000kVA Dry Type Distribution Transformer	10108303	1	4881500	17	829855	5711355
VCB; PANEL OUTGOING, 15KV 1250A 8BD4	10108355	1	2465000	17	419050	2884050
IPC GROUNDING; O/H HT XLPE 35MM~120MM	10108377	1	1800	17	306	2106
IPC GROUNDING; O/H HT XLPE 150MM~240 MM	10108378	1	742	17	126	868
GRIP; WIRE, COME ALONG, XLPE CONDUCTOR	10108557	1	38208	17	6495	44703
TRANSFORMER DISTRIBUTION 3Ø, 500KVA KE	10108574	1	1028509	17	174846	1203356
SWITCHGEAR; O/G METALCLAD 17.5KV GSMSPEC	10110074	1	2948000	17	501160	3449160
COVER; PROTECTION LT BUSHING 500KVA PMT	10110893	1	2190	17	372	2562
COVER; PROTECTION LT BUSHING 250KVA PMT	10110894	1	1730	17	294	2024
Single Phase Service Box for UG LT Main Services	10112231	1	8900	17	1513	10413
Three Phase Service Box for UG LT Main Services	10112232	1	10500	17	1785	12285

BOX; JOINT ; HT HS 400 MM2	10112670	1	11750	17	1998	13748
POLE CLAMP 8 ½ X 5 FOR HT CABLE	10113278	1	1604	17	273	1877
POLE CLAMP 8 ½ X 4 FOR LT CABLE	10113279	1	1579	17	268	1847
TERMINATION; LT 25 MM2	10113813	1	2450	17	417	2867
TERMINATION; LT 50 MM2	10113814	1	2981	17	507	3488
TERMINATION; LT 95 MM2	10113815	1	3273	17	556	3829
TERMINATION; LT 150 MM2	10113816	1	4726	17	803	5529
TERMINATION; LT 185 MM2	10113817	1	5090	17	865	5955
TERMINATION; LT 300 MM2	10113818	1	7610	17	1294	8904
JOINT; LT 25 MM2	10113820	1	2085	17	354	2439
JOINT; LT 50 MM2	10113821	1	2764	17	470	3234
JOINT; LT 95 MM2	10113822	1	3006	17	511	3517
JOINT; LT 150 MM2	10113823	1	3879	17	659	4538
JOINT; LT 185 MM2	10113824	1	4315	17	734	5049
JOINT; LT 300 MM2	10113825	1	6496	17	1104	7600
RMU; 4-WAY WITH 2 SIDE PROTECTION	10113827	1	3708100	17	46	4338477
PANEL ADAPTOR 2500A CASSETTE TYPE	10115257	1	550000	17	93500	643500
WIRE; 7/3.25MM-10MM DIA GALVANIZ STEEL	10115491	1	113	17	19	132
ROD; 3000X16MM GROUNDING GALVANIZED MS	10115513	1	835	17	142	977
U-CLAMP; GROUNDING GALVANIZED MS (SET)	10115514	1	85	17	14	99
BOX;JOINT, HT ST 300MM2 (For Back Feeding)	90000314	1	0	0	0	0
TERMINATION O/DOOR FOR 300MM2 (For Back Feeding)	90000316	1	0	0	0	0
INDICATOR/LOCATOR; EARTH FAULT 11KV (For Back Feeding)	90000352	1	0	0	0	0
POLE; HT ST, 36 X5-1/2" (For Back Feeding)	90000360	1	0	0	0	0
MARKER FOR CABLE JOINT (For Back Feeding)	90001057	1	0	0	0	0
LUG CU 70MM2 (For Back Feeding)	90001081	1	0	17	0	0
WIRE; BINDING, 16SWG (For Back Feeding)	90001098	1	0	0	0	0
CONDUCTOR HDBC 3SWG (For Back Feeding)	90001106	1	0	17	0	0
BOX; ANTI-THEFT B TYPE	90001134	1	0	17	0	0
PIPE; G.I 5" DIA (For Back Feeding)	90001187	1	0	0	0	0

BRACKET; POLE CH.I 14" x 5-1/2" (For Back Feeding)	90001206	1	0	0	0	0
BRACKET; POLE ANTI PURCHENT S/P 5-1/2 (for back backfeed)	90001211	1	0	0	0	0
BRACKET; PHASE HT 5 X 5-1/2' (For Back Feeding)	90001213	1	0	0	0	0
BRACKET; EARTH 8 X5-1/2 DIA. (For Back Feeding)	90001214	1	0	0	0	0
CLAMP; SNAIL DISCONNECTION FOR 11 KV (For Back Feeding)	90001258	1	0	0	0	0
PIN; FOR PIN INSULATOR (For Back Feeding)	90001448	1	0	0	0	0
INSULATORS PIN TYPE 11 KV (For Back Feeding)	90001449	1	0	0	0	0
INSULATOR DISC POR (For Back Feeding)	90001450	1	0	0	0	0
BOLT & NUT; M.S 7"X3/4" (For Back Feeding)	90001605	1	0	0	0	0
BOLT & NUT G.I SIZE 1-1/2 X1/2 (For Back Feeding)	90001620	1	0	17	0	0
STRIP; SHACKLE G.I 19/13 (For Back Feeding)	90001669	1	0	0	0	0
SHINGLE (BAJRI) (For Back Feeding)	90001886	1	0	0	0	0
TRANSFORMER CURRENT 100/5A (For Check Meter)	90001906	1	0	17	0	0
TRANSFORMER; CURRENT 300/5A (For Check Meter)	90001907	1	0	17	0	0
CURRENT TRANSFORMER 1000/5 AMPS (for check meter)	90001917	1	0	0	0	0
TRANSFORMER; CURRENT 400/5A (For Check Meter)	90001930	1	0	17	0	0
TRANSFORMER; CURRENT 500/5A (For Check Meter)	90002117	1	0	17	0	0
TRANSFORMER; CURRENT 600/5A (For Check Meter)	90002118	1	0	17	0	0
TRANSFORMER; CURRENT 200/5A (For Check Meter)	90002119	1	0	17	0	0
TRANSFORMER; CURRENT 800/5A (For Check Meter)	90002120	1	0	17	0	0
TWIST TITE WIRER SEAL (PLASTIC) (For Check Meter)	90002341	1	0	17	0	0
LINE TAP; 120MM2 (For Back Feeding)	90002343	1	0	0	0	0

CABLE ALUMINUM H.T. 300 MM2 (For Back Feeding)	90005075	1	0	0	0	0
PAINT; SYNTHETIC ENAMAL ORANGE (For Back Feeding)	90008749	1	0	0	0	0
PAINT; ENAMEL SPL GREY (For Back Feeding)	90013019	1	0	0	0	0
CEMENT; BAG 50 KG (For Back Feeding)	90013181	1	0	0	0	0
CLAMP; POLE FOR L.T CABLE 6- 1/2"x4" (For Back Feeding)	90021107	1	0	0	0	0
BOX; PMT CHAMBER (ATB POLE MOUNTED)	90021121	1	0	17	0	0
11KV Knife Switch (For Back Feeding)	90021229	1	0	0	0	0
BOLT & NUT; G.I 2-1/2" X 1/2" (For Back Feeding)	90022766	1	0	0	0	0
TILE; CABLE WARNING 12 "X6"X1.5" (For Back Feeding)	90025031	1	0	0	0	0
JOINT (PRE-MOULDED)H.T 300MM2 (For Back Feeding)	90035313	1	0	17	0	0
METER; STATIC THREE PHASE (Check Meter)	90036234	1	0	17	0	0
METER; HT CT/PT< OPERATED W/GPRS MODEM (For Check Meter)	90036931	1	0	17	0	0
METER; 3PH DOL AMR GPRS/3G W/DC SW	90085571	1	0	17	0	0
Meter LT AMR CTO with GPRS modem (For Check Meter)	90094526	1	0	17	0	0
VCB 11KV 630A CT400/5 CASSETTE TYPE (For Back Feeding)	90098672	1	0	0	0	0
PMU; 500KVA WITH RMU (1x630 & 3x250A CB) (For back feeding)	90098865	1	0	17	0	0
VCB; 11KV, 630A CT 400/5,W/PROT (For Back Feeding)	90099413	1	0	0	0	0
SWITCH; LBS 11KV SF6 INSULATED POLEMOUNT (For Back Feeding)	90099946	1	0	17	0	0
CONDUCTOR; XLPE INSULATED ACSR DOG (For back feeding)	90102093	1	0	17	0	0
CONDUCTOR; XLPE INSULATED ACSR TIGER (For back feeding)	90102094	1	0	17	0	0

CONDUCTOR; XLPE INSULATED ACSR LYNX (For back feeding)	90102095	1	0	17	0	0
CONNECTOR; IPC HT 150- 240/150-240 MM2 (For back feeding)	90103581	1	0	17	0	0
CONNECTOR; IPC HT 95-240/50- 185 MM2 (For back feeding)	90103582	1	0	17	0	0
CLAMP; DEADEND HT FOR XLPE INS CONDUCTOR (For back feeding)	90103583	1	0	17	0	0
IPC GROUNDING; O/H HT XLPE 35MM~120MM (For back feeding)	90108377	1	0	17	0	0
IPC GROUNDING; O/H HT XLPE 150MM~240 MM (For back feeding)	90108378	1	0	17	0	0
GRIP; WIRE, COME ALONG, XLPE CONDUCTOR (For back feeding)	90108557	1	0	17	0	0
WIRE 7/3.25MM-10MM DIA GALVANIZ STEEL (For Back Feeding)	90115491	1	0	17	0	0
ROD 3000X16MM GROUNDING GALVANIZED MS (For Back Feeding)	90115513	1	0	17	0	0
U-CLAMP GROUNDING GALVANIZED MS (SET) (For Back Feeding)	90115514	1	0	17	0	0
TERMINATION INDOOR 300MM2	910000318	1	0	17	0	0
TAPE; WARNING	910000318	1	0	17	0	0
STRIP; SHACKLE G.I 19/18 (for back backfeed)	910000668	1	0	0	0	0
PIPE; G.I 6 DIA	910001185	1	0	17	0	0
STRIP; SHACKLE G.I 19/18 (back feed)	910001668	1	0	0	0	0
CONDUCTOR ACSR RABBIT 2 SWG (for back backfeed)	910002052	1	0	0	0	0
CLAMP; POLE G.I FOR CABLE 5- 1/2 X3	910002160	1	0	17	0	0
BOLT & NUT; G.I RAG 6"X1/2 (for back backfeed)	910021251	1	0	0	0	0
STAY UNIT; HT COMPLETE (for back backfeed)	910023757	1	0	0	0	0

HACKSAW BLADE (DOUBLE TEETH)	910023865	1	0	17	0	0
RMU; TWO SIDE PROTECTION TYPE B W/BOOTS	910100065	1	0	17	0	0